


Y-type Strainer flanged PN16 Stainless steel




Y-type Strainer flanged PN16 Stainless steel



Parts

technical product sheet

DN	Size	L	H	d	mesh	D	k	d4	d2	pcs	kg
15	1/2"	130	85	15	1,5	95	65	45	14	4	2,82
20	3/4"	150	78	20	1,5	105	75	58	14	4	3,00
25	1"	160	102	25	1,5	115	85	68	14	4	3,586
32	1 1/4"	180	110	32	1,5	140	100	78	18	4	5,193
40	1 1/2"	200	120	40	2,0	150	110	88	18	4	5,900
50	2"	230	140	50	2,0	165	125	102	18	4	8,712
65	2 1/2"	290	175	65	2,0	185	145	122	18	4	11,456
80	3"	310	196	80	2,0	200	160	138	18	8	15,230
100	4"	350	244	100	2,0	220	180	158	18	8	20,220
125	5"	400	277	125	2,0	250	210	188	18	8	31,300
150	6"	480	320	150	2,0	285	240	212	22	8	42,000
200	8"	600	390	200	2,0	340	295	268	22	12	73,000
250	10"	730	508	250	2,0	405	355	320	26	12	128,000
300	12"	850	562	300	2,0	460	410	378	26	12	0,000



Parts list

No.	Parts	Material
1.	Housing	St.St.CF8M
2.	Cover	St.St.CF8M
3.	Cover screw	St.St.CF8M
4.	Filter element	St.St.CF8M
5.	Housing seal	PTFE
6.	Hexagon head screw	St.St.CF8

Flow coefficient

Size	KV-value
DN 15 - 1/2"	6,0
DN 20 - 3/4"	10,5
DN 25 - 1"	24
DN 40 - 1 1/2"	76
DN 50 - 2"	94
DN 65 - 2 1/2"	117
DN 80 - 3"	234
DN 100 - 4"	584
DN 125 - 5"	758
DN 150 - 6"	934
DN 200 - 8"	1750